

# 2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Rhode Island High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
1-3	SITE	Site Code		
17-17	Q1	How old are you?		
		1 12 years old or younger	10	0.4
		2 13 years old	6	0.2
		3 14 years old	292	13.1
		4 15 years old	540	23.4
		5 16 years old	587	26.1
		6 17 years old	522	24.6
		7 18 years old or older	251	12.3
		Missing	2	
18-18	Q2	What is your sex?		
		1 Female	1,109	49.8
		2 Male	1,095	50.2
		Missing	6	
19-19	Q3	In what grade are you?		
		1 9th grade	631	28.0
		2 10th grade	592	25.9
		3 11th grade	542	24.0
		4 12th grade	418	21.6
		5 Ungraded or other grade	12	0.5
		Missing	15	
20-20	Q4	Are you Hispanic or Latino?		
		1 Yes	446	16.8
		2 No	1,745	83.2
		Missing	19	

# 2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Rhode Island High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		H	6	0.2
		F	11	0.4
		E	1,433	80.3
		EF	1	0.0
		D	68	2.5
		DE	6	0.2
		C	172	10.7
		C E	31	0.7
		CD	3	0.1
		CDE	3	0.1
		B	74	1.6
		B E	16	0.3
		B D	2	0.1
		B DE	1	0.0
		BC	5	0.1
		BC E	2	0.1
		A	29	0.8
		A H	1	0.0
		A E	42	0.8
		A D	5	0.2
		A C	9	0.2
		A C E	12	0.2
		A CD	1	0.0
		A CDE	1	0.0
		AB E	1	0.0
		ABC	1	0.0
		ABC E	1	0.0
		ABCD	1	0.0
		ABCDE	9	0.3
			263	0.0
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		

# 2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Rhode Island High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
39-39	Q8	When you rode a bicycle during the past 12 months, how often did you wear a helmet?		
		1 I did not ride a bicycle during the past 12 months	807	37.6
		2 Never wore a helmet	1,001	44.6
		3 Rarely wore a helmet	119	5.6
		4 Sometimes wore a helmet	68	3.1
		5 Most of the time wore a helmet	79	3.5
		6 Always wore a helmet	118	5.6
		Missing	18	
40-40	Q9	How often do you wear a seat belt when riding in a car driven by someone else?		
		1 Never	117	4.8
		2 Rarely	193	8.8
		3 Sometimes	283	12.9
		4 Most of the time	525	23.4
		5 Always	1,084	50.0
		Missing	8	
41-41	Q10	During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?		
		1 0 times	1,597	72.5
		2 1 time	260	11.9
		3 2 or 3 times	209	10.1
		4 4 or 5 times	47	2.0
		5 6 or more times	82	3.5
		Missing	15	
42-42	Q11	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?		
		1 0 times	1,961	90.2
		2 1 time	87	4.4
		3 2 or 3 times	58	2.7
		4 4 or 5 times	18	0.9
		5 6 or more times	37	1.9
		Missing	49	

# 2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Rhode Island High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
43-43	Q12	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	1,912	88.0
		2 1 day	63	3.0
		3 2 or 3 days	71	2.9
		4 4 or 5 days	25	1.1
		5 6 or more days	114	5.0
		Missing	25	
45-45	Q14	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?		
		1 0 days	2,063	95.1
		2 1 day	33	1.4
		3 2 or 3 days	24	1.0
		4 4 or 5 days	10	0.4
		5 6 or more days	52	2.1
		Missing	28	
46-46	Q15	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1 0 days	2,093	95.8
		2 1 day	39	1.7
		3 2 or 3 days	26	1.0
		4 4 or 5 days	8	0.4
		5 6 or more days	29	1.1
		Missing	15	
47-47	Q16	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?		
		1 0 times	2,019	91.7
		2 1 time	85	4.0
		3 2 or 3 times	47	2.0
		4 4 or 5 times	16	0.6
		5 6 or 7 times	7	0.3
		6 8 or 9 times	4	0.1
		7 10 or 11 times	3	0.1
		8 12 or more times	28	1.1
		Missing	1	

# 2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Rhode Island High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
49-49	Q18	During the past 12 months, how many times were you in a physical fight?		
		1 0 times	1,574	73.7
		2 1 time	265	12.1
		3 2 or 3 times	176	8.4
		4 4 or 5 times	52	2.5
		5 6 or 7 times	14	0.6
		6 8 or 9 times	14	0.7
		7 10 or 11 times	3	0.1
		8 12 or more times	51	1.9
		Missing	61	
50-50	Q19	During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?		
		1 0 times	2,078	95.7
		2 1 time	61	2.7
		3 2 or 3 times	21	0.9
		4 4 or 5 times	6	0.3
		5 6 or more times	11	0.4
		Missing	33	
51-51	Q20	During the past 12 months, how many times were you in a physical fight on school property?		
		1 0 times	1,958	90.4
		2 1 time	130	6.1
		3 2 or 3 times	48	2.1
		4 4 or 5 times	13	0.6
		5 6 or 7 times	3	0.1
		6 8 or 9 times	1	0.0
		7 10 or 11 times	2	0.1
		8 12 or more times	15	0.5
		Missing	40	
52-52	Q21	During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?		
		1 Yes	296	14.0
		2 No	1,885	86.0
		Missing	29	

# 2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Rhode Island High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
53-53	Q22	Have you ever been physically forced to have sexual intercourse when you did not want to?		
		1 Yes	211	10.1
		2 No	1,962	89.9
		Missing	37	
54-54	Q23	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	525	23.6
		2 No	1,665	76.4
		Missing	20	
55-55	Q24	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	278	12.1
		2 No	1,907	87.9
		Missing	25	
56-56	Q25	During the past 12 months, did you make a plan about how you would attempt suicide?		
		1 Yes	260	11.5
		2 No	1,926	88.5
		Missing	24	
57-57	Q26	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	1,710	90.7
		2 1 time	95	4.9
		3 2 or 3 times	54	2.7
		4 4 or 5 times	18	0.9
		5 6 or more times	20	0.9
		Missing	313	
58-58	Q27	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	1,702	90.8
		2 Yes	80	4.0
		3 No	101	5.2
		Missing	327	

# 2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Rhode Island High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
59-59	Q28	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	881	43.1
		2 No	1,160	56.9
		Missing	169	
60-60	Q29	How old were you when you smoked a whole cigarette for the first time?		
		1 I have never smoked a whole cigarette	1,404	68.6
		2 8 years old or younger	77	3.4
		3 9 or 10 years old	55	2.5
		4 11 or 12 years old	117	5.6
		5 13 or 14 years old	204	10.4
		6 15 or 16 years old	153	7.9
		7 17 years old or older	30	1.6
		Missing	170	
61-61	Q30	During the past 30 days, on how many days did you smoke cigarettes?		
		1 0 days	1,771	84.9
		2 1 or 2 days	74	3.7
		3 3 to 5 days	41	1.9
		4 6 to 9 days	17	0.9
		5 10 to 19 days	44	2.5
		6 20 to 29 days	22	1.2
		7 All 30 days	105	5.0
		Missing	136	
62-62	Q31	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
		1 I did not smoke cigarettes during the past 30 days	1,760	84.9
		2 Less than 1 cigarette per day	61	3.1
		3 1 cigarette per day	49	2.5
		4 2 to 5 cigarettes per day	104	5.2
		5 6 to 10 cigarettes per day	46	2.5
		6 11 to 20 cigarettes per day	23	1.1
		7 More than 20 cigarettes per day	17	0.7
		Missing	150	

# 2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Rhode Island High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
63-63	Q32	During the past 30 days, how did you usually get your own cigarettes?		
		1 I did not smoke cigarettes during the past 30 days	1,768	84.8
		2 I bought them in a store such as a convenience store, supermarket, discount store, or gas station	107	5.4
		3 I bought them from a vending machine	8	0.4
		4 I gave someone else money to buy them for me	55	2.7
		5 I borrowed (or bummed) them from someone else	78	4.1
		6 A person 18 years old or older gave them to me	17	0.9
		7 I took them from a store or family member	13	0.5
		8 I got them some other way	28	1.3
		Missing	136	
64-64	Q33	During the past 30 days, on how many days did you smoke cigarettes on school property?		
		1 0 days	1,996	92.6
		2 1 or 2 days	50	2.3
		3 3 to 5 days	30	1.5
		4 6 to 9 days	9	0.5
		5 10 to 19 days	16	0.8
		6 20 to 29 days	8	0.4
		7 All 30 days	42	1.8
		Missing	59	
65-65	Q34	Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?		
		1 Yes	239	11.5
		2 No	1,843	88.5
		Missing	128	
66-66	Q35	During the past 12 months, did you ever try to quit smoking cigarettes?		
		1 I did not smoke during the past 12 months	1,621	78.7
		2 Yes	243	12.3
		3 No	186	9.0
		Missing	160	



# 2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Rhode Island High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
67-67	Q36	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?		
		1 0 days	2,016	93.5
		2 1 or 2 days	51	2.5
		3 3 to 5 days	27	1.0
		4 6 to 9 days	12	0.6
		5 10 to 19 days	14	0.7
		6 20 to 29 days	2	0.1
		7 All 30 days	30	1.6
		Missing	58	
68-68	Q37	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip on school property?		
		1 0 days	2,073	96.1
		2 1 or 2 days	34	1.6
		3 3 to 5 days	12	0.4
		4 6 to 9 days	5	0.2
		5 10 to 19 days	5	0.3
		6 20 to 29 days	2	0.1
		7 All 30 days	24	1.3
		Missing	55	
69-69	Q38	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?		
		1 0 days	1,907	87.1
		2 1 or 2 days	150	7.1
		3 3 to 5 days	58	2.5
		4 6 to 9 days	24	1.1
		5 10 to 19 days	16	0.8
		6 20 to 29 days	8	0.3
		7 All 30 days	24	1.0
		Missing	23	
70-70	Q39	During your life, on how many days have you had at least one drink of alcohol?		
		1 0 days	640	29.6
		2 1 or 2 days	352	16.5
		3 3 to 9 days	367	17.2
		4 10 to 19 days	232	10.7
		5 20 to 39 days	204	9.9
		6 40 to 99 days	143	7.1
		7 100 or more days	184	9.0
		Missing	88	

# 2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Rhode Island High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
71-71	Q40	How old were you when you had your first drink of alcohol other than a few sips?		
		1 I have never had a drink of alcohol other than a few sips	726	32.8
		2 8 years old or younger	142	6.2
		3 9 or 10 years old	121	5.4
		4 11 or 12 years old	208	9.6
		5 13 or 14 years old	492	23.0
		6 15 or 16 years old	408	19.3
		7 17 years old or older	78	3.8
		Missing	35	
72-72	Q41	During the past 30 days, on how many days did you have at least one drink of alcohol?		
		1 0 days	1,207	57.1
		2 1 or 2 days	454	22.5
		3 3 to 5 days	196	10.0
		4 6 to 9 days	124	6.1
		5 10 to 19 days	58	2.9
		6 20 to 29 days	16	0.8
		7 All 30 days	16	0.7
		Missing	139	
73-73	Q42	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?		
		1 0 days	1,645	76.7
		2 1 day	180	8.3
		3 2 days	119	5.8
		4 3 to 5 days	100	5.2
		5 6 to 9 days	46	2.3
		6 10 to 19 days	24	1.2
		7 20 or more days	14	0.6
		Missing	82	
75-75	Q44	During the past 30 days, on how many days did you have at least one drink of alcohol on school property?		
		1 0 days	2,035	95.2
		2 1 or 2 days	68	3.1
		3 3 to 5 days	20	0.9
		4 6 to 9 days	9	0.3
		5 10 to 19 days	2	0.1
		7 All 30 days	11	0.4
		Missing	65	

# 2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Rhode Island High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
76-76	Q45	During your life, how many times have you used marijuana?		
		1 0 times	1,272	59.7
		2 1 or 2 times	167	7.8
		3 3 to 9 times	162	7.9
		4 10 to 19 times	95	4.9
		5 20 to 39 times	92	4.7
		6 40 to 99 times	81	3.8
		7 100 or more times	224	11.2
		Missing	117	
77-77	Q46	How old were you when you tried marijuana for the first time?		
		1 I have never tried marijuana	1,292	59.4
		2 8 years old or younger	44	1.8
		3 9 or 10 years old	53	2.3
		4 11 or 12 years old	113	5.1
		5 13 or 14 years old	303	15.3
		6 15 or 16 years old	282	13.8
		7 17 years old or older	48	2.4
		Missing	75	
78-78	Q47	During the past 30 days, how many times did you use marijuana?		
		1 0 times	1,648	76.8
		2 1 or 2 times	173	8.3
		3 3 to 9 times	103	5.0
		4 10 to 19 times	64	3.3
		5 20 to 39 times	45	2.1
		6 40 or more times	93	4.5
		Missing	84	
79-79	Q48	During the past 30 days, how many times did you use marijuana on school property?		
		1 0 times	2,005	93.5
		2 1 or 2 times	65	3.0
		3 3 to 9 times	38	1.9
		4 10 to 19 times	13	0.6
		5 20 to 39 times	7	0.3
		6 40 or more times	17	0.7
		Missing	65	

# 2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Rhode Island High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
80-80	Q49	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1 0 times	2,029	94.2
		2 1 or 2 times	67	2.9
		3 3 to 9 times	18	0.8
		4 10 to 19 times	12	0.7
		5 20 to 39 times	8	0.3
		6 40 or more times	27	1.2
		Missing	49	
81-81	Q50	During the past 30 days, how many times did you use any form of cocaine, including powder, crack, or freebase?		
		1 0 times	2,078	96.6
		2 1 or 2 times	37	1.8
		3 3 to 9 times	10	0.5
		4 10 to 19 times	5	0.3
		5 20 to 39 times	4	0.2
		6 40 or more times	18	0.7
		Missing	58	
82-82	Q51	During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?		
		1 0 times	1,945	90.1
		2 1 or 2 times	89	4.0
		3 3 to 9 times	62	2.8
		4 10 to 19 times	29	1.3
		5 20 to 39 times	15	0.7
		6 40 or more times	26	1.1
		Missing	44	
85-85	Q54	During your life, how many times have you used ecstasy (also called MDMA)?		
		1 0 times	2,040	93.4
		2 1 or 2 times	83	3.7
		3 3 to 9 times	26	1.1
		4 10 to 19 times	15	0.6
		5 20 to 39 times	11	0.4
		6 40 or more times	18	0.8
		Missing	17	

# 2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Rhode Island High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
86-86	Q55	During your life, how many times have you taken steroid pills or shots without a doctor's prescription?		
		1 0 times	2,092	95.9
		2 1 or 2 times	38	1.6
		3 3 to 9 times	20	0.8
		4 10 to 19 times	14	0.6
		5 20 to 39 times	8	0.3
		6 40 or more times	18	0.8
		Missing	20	
88-88	Q57	During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?		
		1 Yes	557	25.3
		2 No	1,606	74.7
		Missing	47	
89-89	Q58	Have you ever had sexual intercourse?		
		1 Yes	872	45.5
		2 No	1,087	54.5
		Missing	251	
90-90	Q59	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	1,088	54.2
		2 11 years old or younger	71	3.5
		3 12 years old	54	2.6
		4 13 years old	105	5.1
		5 14 years old	198	10.3
		6 15 years old	221	11.7
		7 16 years old	157	8.4
		8 17 years old or older	77	4.2
		Missing	239	
91-91	Q60	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	1,089	54.4
		2 1 person	385	20.1
		3 2 people	170	8.7
		4 3 people	109	5.9
		5 4 people	51	2.7
		6 5 people	38	1.9
		7 6 or more people	126	6.2
		Missing	242	

# 2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Rhode Island High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
92-92	Q61	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	1,087	54.3
		2 I have had sexual intercourse, but not during the past 3 months	248	12.6
		3 1 person	472	25.0
		4 2 people	78	4.3
		5 3 people	32	1.5
		6 4 people	12	0.6
		7 5 people	7	0.3
		8 6 or more people	33	1.5
		Missing	241	
93-93	Q62	Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
		1 I have never had sexual intercourse	1,085	54.3
		2 Yes	178	9.2
		3 No	701	36.5
		Missing	246	
94-94	Q63	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	1,087	54.7
		2 Yes	579	30.9
		3 No	286	14.5
		Missing	258	
95-95	Q64	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	1,088	54.9
		2 No method was used to prevent pregnancy	115	5.5
		3 Birth control pills	156	8.6
		4 Condoms	474	25.2
		5 Depo-Provera (injectable birth control)	11	0.6
		6 Withdrawal	56	2.9
		7 Some other method	20	0.9
		8 Not sure	29	1.4
		Missing	261	

# 2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Rhode Island High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
96-96	Q65	How do you describe your weight?		
		1 Very underweight	71	3.1
		2 Slightly underweight	262	12.0
		3 About the right weight	1,193	55.7
		4 Slightly overweight	521	23.7
		5 Very overweight	119	5.4
		Missing	44	
97-97	Q66	Which of the following are you trying to do about your weight?		
		1 Lose weight	1,026	47.8
		2 Gain weight	346	16.3
		3 Stay the same weight	450	20.8
		4 I am not trying to do anything about my weight	324	15.2
		Missing	64	
98-98	Q67	During the past 30 days, did you exercise to lose weight or to keep from gaining weight?		
		1 Yes	1,336	61.2
		2 No	828	38.8
		Missing	46	
99-99	Q68	During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight?		
		1 Yes	860	39.6
		2 No	1,298	60.4
		Missing	52	
100-100	Q69	During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?		
		1 Yes	248	11.3
		2 No	1,898	88.7
		Missing	64	
101-101	Q70	During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight?		
		1 Yes	151	6.7
		2 No	1,994	93.3
		Missing	65	

# 2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Rhode Island High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
102-102	Q71	During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?		
		1 Yes	125	5.4
		2 No	1,985	94.6
		Missing	100	
103-103	Q72	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	336	15.8
		2 1 to 3 times during the past 7 days	806	37.4
		3 4 to 6 times during the past 7 days	387	17.9
		4 1 time per day	160	7.7
		5 2 times per day	190	8.9
		6 3 times per day	110	4.8
		7 4 or more times per day	162	7.5
		Missing	59	
104-104	Q73	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	307	14.2
		2 1 to 3 times during the past 7 days	903	41.3
		3 4 to 6 times during the past 7 days	404	19.1
		4 1 time per day	195	8.9
		5 2 times per day	185	8.6
		6 3 times per day	91	3.9
		7 4 or more times per day	92	4.1
		Missing	33	
105-105	Q74	During the past 7 days, how many times did you eat green salad?		
		1 I did not eat green salad during the past 7 days	637	28.7
		2 1 to 3 times during the past 7 days	943	44.1
		3 4 to 6 times during the past 7 days	312	14.6
		4 1 time per day	172	8.0
		5 2 times per day	51	2.2
		6 3 times per day	19	0.8
		7 4 or more times per day	37	1.6
		Missing	39	



# 2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Rhode Island High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
106-106	Q75	During the past 7 days, how many times did you eat potatoes?		
		1 I did not eat potatoes during the past 7 days	563	25.9
		2 1 to 3 times during the past 7 days	1,163	53.8
		3 4 to 6 times during the past 7 days	282	13.4
		4 1 time per day	78	3.4
		5 2 times per day	31	1.5
		6 3 times per day	18	0.8
		7 4 or more times per day	32	1.3
		Missing	43	
107-107	Q76	During the past 7 days, how many times did you eat carrots?		
		1 I did not eat carrots during the past 7 days	1,016	46.7
		2 1 to 3 times during the past 7 days	878	40.7
		3 4 to 6 times during the past 7 days	152	6.8
		4 1 time per day	71	3.0
		5 2 times per day	24	1.1
		6 3 times per day	11	0.5
		7 4 or more times per day	28	1.2
		Missing	30	
108-108	Q77	During the past 7 days, how many times did you eat other vegetables?		
		1 I did not eat other vegetables during the past 7 days	390	17.1
		2 1 to 3 times during the past 7 days	887	41.9
		3 4 to 6 times during the past 7 days	488	22.7
		4 1 time per day	214	9.6
		5 2 times per day	114	5.0
		6 3 times per day	38	1.7
		7 4 or more times per day	44	2.0
		Missing	35	

# 2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Rhode Island High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
109-109	Q78	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1 I did not drink soda or pop during the past 7 days	467	22.3
		2 1 to 3 times during the past 7 days	742	33.9
		3 4 to 6 times during the past 7 days	403	18.6
		4 1 time per day	162	7.6
		5 2 times per day	147	6.8
		6 3 times per day	90	4.1
		7 4 or more times per day	153	6.7
		Missing	46	
110-110	Q79	During the past 7 days, how many glasses of milk did you drink?		
		1 I did not drink milk during the past 7 days	364	16.4
		2 1 to 3 glasses during the past 7 days	528	24.7
		3 4 to 6 glasses during the past 7 days	344	15.6
		4 1 glass per day	316	14.3
		5 2 glasses per day	293	13.3
		6 3 glasses per day	167	7.9
		7 4 or more glasses per day	163	7.7
		Missing	35	
111-111	Q80	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	290	13.3
		2 1 day	245	11.2
		3 2 days	232	11.1
		4 3 days	296	13.3
		5 4 days	204	9.2
		6 5 days	221	10.3
		7 6 days	158	7.5
		8 7 days	520	24.1
		Missing	44	

# 2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Rhode Island High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
112-112	Q81	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	246	11.6
		2 Less than 1 hour per day	390	18.7
		3 1 hour per day	371	17.4
		4 2 hours per day	528	24.8
		5 3 hours per day	308	14.0
		6 4 hours per day	121	5.5
		7 5 or more hours per day	182	7.9
		Missing	64	
113-113	Q82	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	390	17.5
		2 Less than 1 hour per day	445	20.5
		3 1 hour per day	391	18.5
		4 2 hours per day	370	17.1
		5 3 hours per day	262	12.2
		6 4 hours per day	119	5.7
		7 5 or more hours per day	195	8.5
		Missing	38	
114-114	Q83	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	472	21.4
		2 1 day	164	7.2
		3 2 days	307	14.4
		4 3 days	517	24.2
		5 4 days	195	9.6
		6 5 days	496	23.1
		Missing	59	
116-116	Q85	Have you ever been taught about AIDS or HIV infection in school?		
		1 Yes	1,872	89.4
		2 No	160	7.6
		3 Not sure	70	3.0
		Missing	108	

# 2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Rhode Island High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
117-117	Q86	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	559	25.8
		2 No	1,511	70.9
		3 Not sure	76	3.3
		Missing	64	
118-118	Q87	Do you still have asthma?		
		1 I have never had asthma	1,325	61.6
		2 Yes	407	18.7
		3 No	293	13.5
		4 Not sure	136	6.2
		Missing	49	
119-119	Q88	What language do you usually speak at home?		
		1 English	1,790	84.6
		2 Spanish	216	8.2
		3 Portuguese	52	2.3
		4 Cape Verdean Creole	50	2.6
		5 Other	68	2.4
		Missing	34	
120-120	Q89	During the past 12 months, how would you describe your grades in school?		
		1 Mostly A's	485	21.4
		2 Mostly B's	918	42.7
		3 Mostly C's	492	23.3
		4 Mostly D's	104	4.6
		5 Mostly F's	56	2.5
		6 None of these grades	32	1.4
		7 Not sure	100	4.1
		Missing	23	
121-121	Q90	During the past 30 days, did anyone ever refuse to sell you cigarettes because of your age?		
		1 I did not try to buy cigarettes during the past 30 days	1,932	88.1
		2 Yes, someone refused to sell me cigarettes because of my age	80	3.8
		3 No, no one refused to sell me cigarettes because of my age	178	8.1
		Missing	20	

# 2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Rhode Island High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
122-122	Q91	During the past 12 months, have you tried any flavored cigarettes other than menthol, such as raspberry, cherry, mint, or chocolate? Some examples of brands with flavoring are Camel Crema, Dark Mint, Izmir Stinger, and Twist.		
		1 I have not smoked any cigarettes during the past 12 months	1,620	74.1
		2 Yes	208	9.5
		3 No	295	14.1
		4 Not sure	56	2.4
		Missing	31	
123-123	Q92	During the past 12 months, did a doctor, dentist, or nurse ask you whether you smoke cigarettes?		
		1 I have not seen a doctor, dentist, or nurse during the past 12 months	400	18.4
		2 Yes	614	28.2
		3 No	996	45.8
		4 Not sure	171	7.6
		Missing	29	
124-124	Q93	During the past 30 days, how did you usually get your alcoholic beverages?		
		1 I did not drink alcohol during the past 30 days	1,249	56.6
		2 I bought it at a store, restaurant, or bar with no ID	48	2.2
		3 I bought it at a store, restaurant, or bar with fake ID	31	1.3
		4 I stole it from a store, my home, or another place	76	3.3
		5 My parents gave it to me	78	3.3
		6 I got it from friends	337	16.3
		7 An adult over 21 (other than my parents) bought it for me	136	6.6
		8 Some other way	219	10.3
		Missing	36	
125-125	Q94	Have your parents or guardians made it clear that they expect you not to use alcohol?		
		1 Yes	1,541	71.1
		2 No	420	18.9
		3 Not sure	221	10.0
		Missing	28	

# 2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Rhode Island High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
126-126	Q95	During your life, how many times have you taken painkillers, such as OxyContin, Codeine, Percocet, or Tylenol III, without a doctor's prescription?		
		1 0 times	1,786	81.7
		2 1 or 2 times	166	7.5
		3 3 to 9 times	96	4.3
		4 10 to 19 times	52	2.5
		5 20 to 39 times	21	1.1
		6 40 or more times	62	2.9
		Missing	27	
127-127	Q96	Which of the following best describes you?		
		1 Heterosexual (straight)	1,954	90.1
		2 Gay or lesbian	47	1.9
		3 Bisexual	123	5.4
		4 Not sure	55	2.7
		Missing	31	
128-128	Q97	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	825	36.6
		2 Females	680	32.4
		3 Males	555	25.7
		4 Females and males	115	5.3
		Missing	35	
129-129	Q98	Do you have any physical disabilities or long-term health problems?		
		1 Yes	248	11.2
		2 No	1,720	80.5
		3 Not sure	177	8.4
		Missing	65	
130-130	Q99	Do you have any long-term emotional problems or learning disabilities?		
		1 Yes	281	12.9
		2 No	1,709	80.6
		3 Not sure	140	6.4
		Missing	80	

# 2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Rhode Island High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
131-131	QN8	Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet		
		1 Yes	1,120	80.4
		2 No	265	19.6
		Missing	825	
132-132	QN9	Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else		
		1 Yes	310	13.7
		2 No	1,892	86.3
		Missing	8	
133-133	QN10	Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol		
		1 Yes	598	27.5
		2 No	1,597	72.5
		Missing	15	
134-134	QN11	Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol		
		1 Yes	200	9.8
		2 No	1,961	90.2
		Missing	49	
135-135	QN12	Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days		
		1 Yes	273	12.0
		2 No	1,912	88.0
		Missing	25	
137-137	QN14	Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days		
		1 Yes	119	4.9
		2 No	2,063	95.1
		Missing	28	

# 2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Rhode Island High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
138-138	QN15	Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		
		1 Yes	102	4.2
		2 No	2,093	95.8
		Missing	15	
139-139	QN16	Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months		
		1 Yes	190	8.3
		2 No	2,019	91.7
		Missing	1	
141-141	QN18	Percentage of students who were in a physical fight one or more times during the past 12 months		
		1 Yes	575	26.3
		2 No	1,574	73.7
		Missing	61	
142-142	QN19	Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse		
		1 Yes	99	4.3
		2 No	2,078	95.7
		Missing	33	
143-143	QN20	Percentage of students who were in a physical fight on school property one or more times during the past 12 months		
		1 Yes	212	9.6
		2 No	1,958	90.4
		Missing	40	
144-144	QN21	Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months		
		1 Yes	296	14.0
		2 No	1,885	86.0
		Missing	29	
145-145	QN22	Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to		
		1 Yes	211	10.1
		2 No	1,962	89.9
		Missing	37	



# 2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Rhode Island High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
146-146	QN23	Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months		
		1 Yes	525	23.6
		2 No	1,665	76.4
		Missing	20	
147-147	QN24	Percentage of students who seriously considered attempting suicide during the past 12 months		
		1 Yes	278	12.1
		2 No	1,907	87.9
		Missing	25	
148-148	QN25	Percentage of students who made a plan about how they would attempt suicide during the past 12 months		
		1 Yes	260	11.5
		2 No	1,926	88.5
		Missing	24	
149-149	QN26	Percentage of students who actually attempted suicide one or more times during the past 12 months		
		1 Yes	187	9.3
		2 No	1,710	90.7
		Missing	313	
150-150	QN27	Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse		
		1 Yes	80	4.0
		2 No	1,803	96.0
		Missing	327	
151-151	QN28	Percentage of students who ever tried cigarette smoking, even one or two puffs		
		1 Yes	881	43.1
		2 No	1,160	56.9
		Missing	169	
152-152	QN29	Percentage of students who smoked a whole cigarette for the first time before age 13 years		
		1 Yes	249	11.5
		2 No	1,791	88.5
		Missing	170	

# 2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Rhode Island High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
153-153	QN30	Percentage of students who smoked cigarettes on one or more of the past 30 days		
		1 Yes	303	15.1
		2 No	1,771	84.9
		Missing	136	
154-154	QN31	Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days		
		1 Yes	39	12.0
		2 No	254	88.0
		Missing	1,917	
155-155	QN32	Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days		
		1 Yes	66	27.0
		2 No	182	73.0
		Missing	1,962	
156-156	QN33	Percentage of students who smoked cigarettes on school property on one or more of the past 30 days		
		1 Yes	155	7.4
		2 No	1,996	92.6
		Missing	59	
157-157	QN34	Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days		
		1 Yes	239	11.5
		2 No	1,843	88.5
		Missing	128	
158-158	QN35	Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months		
		1 Yes	168	59.3
		2 No	125	40.7
		Missing	1,917	
159-159	QN36	Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	136	6.5
		2 No	2,016	93.5
		Missing	58	

# 2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Rhode Island High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
160-160	QN37	Percentage of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days		
		1 Yes	82	3.9
		2 No	2,073	96.1
		Missing	55	
161-161	QN38	Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days		
		1 Yes	280	12.9
		2 No	1,907	87.1
		Missing	23	
162-162	QN39	Percentage of students who had at least one drink of alcohol on one or more days during their life		
		1 Yes	1,482	70.4
		2 No	640	29.6
		Missing	88	
163-163	QN40	Percentage of students who had their first drink of alcohol other than a few sips before age 13 years		
		1 Yes	471	21.1
		2 No	1,704	78.9
		Missing	35	
164-164	QN41	Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		
		1 Yes	864	42.9
		2 No	1,207	57.1
		Missing	139	
165-165	QN42	Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days		
		1 Yes	483	23.3
		2 No	1,645	76.7
		Missing	82	
167-167	QN44	Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days		
		1 Yes	110	4.8
		2 No	2,035	95.2
		Missing	65	

# 2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Rhode Island High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
168-168	QN45	Percentage of students who used marijuana one or more times during their life		
		1 Yes	821	40.3
		2 No	1,272	59.7
		Missing	117	
169-169	QN46	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	210	9.2
		2 No	1,925	90.8
		Missing	75	
170-170	QN47	Percentage of students who used marijuana one or more times during the past 30 days		
		1 Yes	478	23.2
		2 No	1,648	76.8
		Missing	84	
171-171	QN48	Percentage of students who used marijuana on school property one or more times during the past 30 days		
		1 Yes	140	6.5
		2 No	2,005	93.5
		Missing	65	
172-172	QN49	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life		
		1 Yes	132	5.8
		2 No	2,029	94.2
		Missing	49	
173-173	QN50	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days		
		1 Yes	74	3.4
		2 No	2,078	96.6
		Missing	58	
174-174	QN51	Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life		
		1 Yes	221	9.9
		2 No	1,945	90.1
		Missing	44	

# 2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Rhode Island High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
177-177	QN54	Percentage of students who used ecstasy one or more times during their life		
		1 Yes	153	6.6
		2 No	2,040	93.4
		Missing	17	
178-178	QN55	Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life		
		1 Yes	98	4.1
		2 No	2,092	95.9
		Missing	20	
180-180	QN57	Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months		
		1 Yes	557	25.3
		2 No	1,606	74.7
		Missing	47	
181-181	QN58	Percentage of students who ever had sexual intercourse		
		1 Yes	872	45.5
		2 No	1,087	54.5
		Missing	251	
182-182	QN59	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	125	6.1
		2 No	1,846	93.9
		Missing	239	
183-183	QN60	Percentage of students who had sexual intercourse with four or more people during their life		
		1 Yes	215	10.9
		2 No	1,753	89.1
		Missing	242	
184-184	QN61	Percentage of students who had sexual intercourse with one or more people during the past three months		
		1 Yes	634	33.1
		2 No	1,335	66.9
		Missing	241	

# 2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Rhode Island High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
185-185	QN62	Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse		
		1 Yes	127	20.1
		2 No	500	79.9
		Missing	1,583	
186-186	QN63	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse		
		1 Yes	398	66.0
		2 No	219	34.0
		Missing	1,593	
187-187	QN64	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	124	20.8
		2 No	488	79.2
		Missing	1,598	
188-188	QN65	Percentage of students who described themselves as slightly or very overweight		
		1 Yes	640	29.1
		2 No	1,526	70.9
		Missing	44	
189-189	QN66	Percentage of students who were trying to lose weight		
		1 Yes	1,026	47.8
		2 No	1,120	52.2
		Missing	64	
190-190	QN67	Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	1,336	61.2
		2 No	828	38.8
		Missing	46	
191-191	QN68	Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	860	39.6
		2 No	1,298	60.4
		Missing	52	

# 2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Rhode Island High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
192-192	QN69	Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	248	11.3
		2 No	1,898	88.7
		Missing	64	
193-193	QN70	Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	151	6.7
		2 No	1,994	93.3
		Missing	65	
194-194	QN71	Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	125	5.4
		2 No	1,985	94.6
		Missing	100	
195-195	QN72	Percentage of students who drank 100% fruit juices one or more times during the past seven days		
		1 Yes	1,815	84.2
		2 No	336	15.8
		Missing	59	
196-196	QN73	Percentage of students who ate fruit one or more times during the past seven days		
		1 Yes	1,870	85.8
		2 No	307	14.2
		Missing	33	
197-197	QN74	Percentage of students who ate green salad one or more times during the past seven days		
		1 Yes	1,534	71.3
		2 No	637	28.7
		Missing	39	
198-198	QN75	Percentage of students who ate potatoes one or more times during the past seven days		
		1 Yes	1,604	74.1
		2 No	563	25.9
		Missing	43	

# 2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Rhode Island High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
199-199	QN76	Percentage of students who ate carrots one or more times during the past seven days		
		1 Yes	1,164	53.3
		2 No	1,016	46.7
		Missing	30	
200-200	QN77	Percentage of students who ate other vegetables one or more times during the past seven days		
		1 Yes	1,785	82.9
		2 No	390	17.1
		Missing	35	
201-201	QN78	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days		
		1 Yes	552	25.2
		2 No	1,612	74.8
		Missing	46	
202-202	QN79	Percentage of students who drank three or more glasses per day of milk during the past seven days		
		1 Yes	330	15.6
		2 No	1,845	84.4
		Missing	35	
203-203	QN80	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days		
		1 Yes	899	41.9
		2 No	1,267	58.1
		Missing	44	
204-204	QN81	Percentage of students who watched three or more hours per day of TV on an average school day		
		1 Yes	611	27.4
		2 No	1,535	72.6
		Missing	64	
205-205	QN82	Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day		
		1 Yes	576	26.4
		2 No	1,596	73.6
		Missing	38	



# 2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Rhode Island High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
206-206	QN83	Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school		
		1 Yes	1,679	78.6
		2 No	472	21.4
		Missing	59	
208-208	QN85	Percentage of students who had ever been taught in school about AIDS or HIV infection		
		1 Yes	1,872	89.4
		2 No	230	10.6
		Missing	108	
209-209	QN86	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	559	25.8
		2 No	1,587	74.2
		Missing	64	
210-210	QN87	Percentage of students who had been told by a doctor or nurse that they had asthma and still have asthma (i.e. current asthma)		
		1 Yes	292	13.6
		2 No	1,849	86.4
		Missing	69	
211-211	QN88	Percentage of students who usually speak English at home		
		1 Yes	1,790	84.6
		2 No	386	15.4
		Missing	34	
212-212	QN89	Percentage of students who would describe their grades in school as mostly D's and F's during the past 12 months		
		1 Yes	160	7.2
		2 No	2,027	92.8
		Missing	23	
213-213	QN90	Percentage of students who responded that no one refused to sell them cigarettes because of their age during the past 30 days		
		1 Yes	178	8.1
		2 No	2,012	91.9
		Missing	20	

# 2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Rhode Island High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
214-214	QN91	Percentage of students who have tried any flavored cigarettes other than menthol, such as raspberry, cherry, mint, or chocolate, during the past 12 months		
		1 Yes	208	9.5
		2 No	1,971	90.5
		Missing	31	
215-215	QN92	Percentage of students who were asked by a doctor, dentist, or nurse during the past 12 months whether they smoked cigarettes		
		1 Yes	614	28.2
		2 No	1,567	71.8
		Missing	29	
216-216	QN93	Percentage of students who usually got their alcoholic beverages by buying it at a store, restaurant, or bar with no ID during the past 30 days		
		1 Yes	48	2.2
		2 No	2,126	97.8
		Missing	36	
217-217	QN94	Percentage of students whose parents or guardians made it clear that they expect them not to use alcohol		
		1 Yes	1,541	71.1
		2 No	641	28.9
		Missing	28	
218-218	QN95	Percentage of students who have taken painkillers, such as OxyContin, Codeine, Percocet, or Tylenol III, without a doctor's prescription one or more times during their life		
		1 Yes	397	18.3
		2 No	1,786	81.7
		Missing	27	
219-219	QN96	Percentage of students that describe themselves as gay or lesbian or bisexual		
		1 Yes	170	7.2
		2 No	2,009	92.8
		Missing	31	
220-220	QN97	Percentage of students who have had sexual contact with females and males during their life		
		1 Yes	115	5.3
		2 No	2,060	94.7
		Missing	35	

# 2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Rhode Island High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
221-221	QN98	Percentage of students who have any physical disabilities or long-term health problems		
		1 Yes	248	11.2
		2 No	1,897	88.8
		Missing	65	
222-222	QN99	Percentage of students who have any long-term emotional problems or learning disabilities		
		1 Yes	281	12.9
		2 No	1,849	87.1
		Missing	80	
223-223	QNFRVG	Percentage of students who ate fruits and vegetables five or more times per day during the past seven days		
		1 Yes	413	19.0
		2 No	1,705	81.0
		Missing	92	
224-224	QNFCIG	Percentage of students who smoked cigarettes on 20 or more of the past 30 days		
		1 Yes	127	6.2
		2 No	1,947	93.8
		Missing	136	
225-225	QNDLYPE	Percentage of students who attended physical education (PE) classes daily in an average week when they were in school		
		1 Yes	496	23.1
		2 No	1,655	76.9
		Missing	59	
226-226	QNANYTOB	Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	425	21.6
		2 No	1,603	78.4
		Missing	182	
227-227	QNROVWGT	Percentage of students who were at risk for becoming overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)		
		1 Yes	337	16.2
		2 No	1,735	83.8
		Missing	138	

# 2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Rhode Island High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
228-228	QNOVWGT	Percentage of students who were overweight (i.e., at or above the 95th percentile for body mass index, by age and sex)		
		1 Yes	224	10.7
		2 No	1,848	89.3
		Missing	138	
358-369	Weight	Weight		
370-374	PSU	Primary Sampling Unit		
375-378	Stratum	Stratum		
379-383	BMIPct	Percentile for body mass index, by age and sex		
384-385	RaceEth	Race/Ethnicity		
		1 Am Indian / Alaska Native	18	0.3
		2 Asian	63	1.0
		3 Black or African American	141	8.7
		4 Native Hawaiian/other PI	17	0.3
		5 White	1,352	70.9
		6 Hispanic/Latino	242	9.1
		7 Multiple - Hispanic	197	7.6
		8 Multiple - non-Hispanic	125	2.1
		Missing	55	